

Sheet 1 of 1

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
PRD2045NP-USSERIAL NO.  
10/786,478**INFORMATION DISCLOSURE  
CITATION BY APPLICANT**

(Use several sheets if necessary)

APPLICANT  
Chen et al.FILING DATE  
February 25, 2004GROUP ART UNIT  
1647**U.S. PATENT DOCUMENTS**

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	INVENTORS	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

**FOREIGN PATENT DOCUMENTS**

	DOCUMENT NUMBER	DATE	COUNTRY/REGION	CLASS	SUBCLASS	TRANSLATION (if applicable)
1D	WO 200 6 0 2 6 3 5 5	March 9, 2006	WIPO			
1D	WO 200 5 0 1 4 6 1 6	February 17, 2005	WIPO			

**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)**

1D	Chen et al., "Pharmacological characterization of relaxin-3/INSL7 receptors GPCR135 and GPCR142 from different mammalian species," <i>J. Pharmacol. Exp. Ther.</i> , Vol. 312(1), pp. 83-95 (2005).
1D	Liu et al., "Identification of relaxin-3/INSL7 as a ligand for GPCR142," <i>J. Biol. Chem.</i> , Vol. 278(50), pp. 50765-50770 (2003).
1D	Liu et al., "Identification of relaxin-3/INSL7 as an endogenous ligand for the orphan G-protein-coupled receptor GPCR135," <i>J. Biol. Chem.</i> , Vol. 278(50), pp. 50754-50764 (2003).
1D	Liu et al., "INSL5 is a high affinity specific agonist for GPCR142 (GPR100)," <i>J. Biol. Chem.</i> , Vol. 280(1), pp. 292-300 (2005).
1D	Liu et al., "Recent progress in relaxin-3-related research," <i>Ann. NY Acad. Sci.</i> , Vol. 1041, pp. 47-60 (2005).
1D	Liu et al., "Relaxin-3/insulin-like peptide 5 chimeric peptide, a selective ligand for G protein-coupled receptor (GPCR)135 and GPCR142 over leucine-rich repeat-containing G protein-coupled receptor 7," <i>Mol. Pharmacol.</i> , Vol. 67(1), pp. 231-240 (2005).
1D	Sutton et al., "Distribution of G-protein-coupled receptor (GPCR)135 binding sites and receptor mRNA in the rat brain suggests a role for relaxin-3 in neuroendocrine and sensory processing," <i>Neuroendocrinology</i> , Vol. 80(5), pp. 298-307 (2005).
1D	Sutton et al., "G-protein-coupled receptor (GPCR)-142 does not contribute to relaxin-3 binding in the mouse brain: further support that relaxin-3 is the physiological ligand for GPCR135," <i>Neuroendocrinology</i> , Vol. 82, pp. 139-150 (2005).

EXAMINER

DATE CONSIDERED

11/16/2006

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 1 of 5FORM PTO-159  
PATENT & TRADEMARK OFFICEU.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
PRD2045NP-USSERIAL NO.  
10/786,478**INFORMATION DISCLOSURE  
CITATION BY APPLICANT**  
(Use several sheets if necessary)APPLICANT  
Chen et al.FILING DATE  
February 25, 2004

GROUP ART UNIT

**U.S. PATENT DOCUMENTS**

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	INVENTORS	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
1D	US	4 8 7 3 3 1 6	October 10, 1989	Meade et al.			
1D	US	5 2 2 3 4 0 9	June 29, 1993	Ladner et al.			
1D	US	5 2 7 2 0 7 1	December 21, 1993	Chappel			
1D	US	5 5 7 1 6 9 8	November 5, 1996	Ladner et al.			
1D	US2003	0 1 5 7 5 5 8	August 21, 2003	Matsumoto et al.			
1D	US2003	0 1 5 8 3 8 1	August 21, 2003	Itoh et al.			

**FOREIGN PATENT DOCUMENTS**

		DOCUMENT NUMBER	DATE	COUNTRY/REGION	CLASS	SUBCLASS	TRANSLATION (if applicable)
1D	EP	0 2 6 4 1 6 6	August 21, 1996	EP			
1D	EP	1 1 2 6 0 2 9	August 22, 2001	EP			
1D	WO	9 1 0 6 6 6 7	May 16, 1991	WIPO			
1D	WO	0 0 2 3 1 1 1	April 27, 2000	WIPO			
1D	WO	0 0 2 4 8 9 1	May 4, 2000	WIPO			
1D	WO	0 1 4 8 1 8 9	July 5, 2001	WIPO			
1D	WO	0 1 6 2 7 9 7	August 30, 2001	WIPO			
1D	WO	0 1 6 8 8 6 2	September 20, 2001	WIPO			
1D	WO	0 1 7 4 9 0 4	October 11, 2001	WIPO			
1D	WO	0 1 7 5 1 6 4	October 11, 2001	WIPO			
1D	WO	0 1 8 1 5 6 2	November 1, 2001	WIPO			
1D	WO	0 1 8 5 7 9 1	November 15, 2001	WIPO			
1D	WO	0 2 0 0 7 1 9	January 3, 2002	WIPO			
1D	WO	0 2 2 2 8 0 2	March 21, 2002	WIPO			

**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)**

1D		Altschul et al., "Basic Local Alignment Search Tool", <i>J. Mol. Biol.</i> , Vol. 215, pp. 403-410 (1990).
1D		Altschul et al., "Gapped BLAST And PSI-BLAST: A New Generation Of Protein Database Search Programs", <i>Nucleic Acids Res.</i> , Vol. 25(17), pp. 3389-3402 (1997).
1D		Amann et al., "Tightly Regulated tac Promoter Vectors Useful For The Expression Of Unfused And Fused Proteins In Escherichia Coli", <i>Gene</i> , Vol. 69, pp. 301-315 (1988).
1D		Baldari et al., "A Novel Leader Peptide Which Allows Efficient Secretion Of A Fragment Of Human Interleukin 1 $\beta$ In <i>Saccharomyces Cerevisiae</i> ", <i>EMBO J</i> , Vol. 6(1), pp. 229-234 (1987).

EXAMINER

DATE CONSIDERED

11/16/2006

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
PRD2045NP-USSERIAL NO.  
10/786,478**INFORMATION DISCLOSURE  
CITATION BY APPLICANT**

(Use several sheets if necessary)

APPLICANT  
Chen et al.FILING DATE  
February 25, 2004

GROUP ART UNIT

		<b>OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)</b>
10		Banerji et al., "A Lymphocyte-Specific Cellular Enhancer Is Located Downstream Of The Joining Region In Immunoglobulin Heavy Chain Genes", <i>Cell</i> , Vol. 33, pp. 729-740 (1983).
10		Bathgate et al., "Human Relaxin Gene 3 (H3) And The Equivalent Mouse Relaxin (M3) Gene: Novel Members Of The Relaxin Peptide Family", <i>J. Biol. Chem.</i> , Vol. 277(2), pp. 1148-1157 (2002).
10		Benjannet et al., "PC1 And PC2 Are Proprotein Convertases Capable Of Cleaving Proopiomelanocortin At Distinct Pairs Of Basic Residues", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 88, pp. 3564-3568 (1991).
10		Brummelkamp et al., "A System For Stable Expression Of Short Interfering RNAs In Mammalian Cells", <i>Science</i> , Vol. 296, pp. 550-553 (2002).
10		Burazin et al., "Restricted, But Abundant, Expression Of The Novel Rat Gene-3 (R3) Relaxin In The Dorsal Tegmental Region Of Brain", <i>J. Neurochem.</i> , Vol. 82, pp. 1553-1557 (2002).
10		Byrne et al., "Multiplex Gene Regulation: A Two-Tiered Approach To Transgene Regulation In Transgenic Mice", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 86, pp. 5473-5477 (1989).
10		Calame et al., "Transcriptional Controlling Elements In The Immunoglobulin And T Cell Receptor Loci", <i>Adv. Immunol.</i> , Vol. 43, pp. 235-275 (1988).
10		Camper et al., "Postnatal Repression Of The $\alpha$ -Fetoprotein Gene Is Enhancer Independent", <i>Genes &amp; Dev.</i> , Vol. 3, pp. 537-546 (1989).
10		Carrillo et al., "The Multiple Sequence Alignment Problem In Biology", <i>Siam J. Applied Math</i> , Vol. 48(5), pp. 1073-1082 (1988).
10		Civelli et al., "Novel Neurotransmitters As Natural Ligands Of Orphan G-Protein-Coupled Receptors", <i>Trends in Neurosciences</i> , Vol. 24(4), pp. 230-237 (2001).
10		Conklin et al., "Substitution Of Three Amino Acids Switches Receptor Specificity Of $G_q\alpha$ To That Of $G_i\alpha$ ", <i>Nature</i> , Vol. 363, pp. 274-276 (1993).
10		Cull et al., "Screening For Receptor Ligands Using Large Libraries Of Peptides Linked To The C Terminus Of The <i>lac</i> Repressor", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 89, pp. 1865-1869 (1992).
10		Devereux et al., "A Comprehensive Set Of Sequence Analysis Programs For The VAX", <i>Nucleic Acids Research</i> , Vol. 12(1), pp. 387-395 (1984).

EXAMINER

DATE CONSIDERED

11/14/2006

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
PRD2045NP-USSERIAL NO.  
10/786,478**INFORMATION DISCLOSURE  
CITATION BY APPLICANT**

(Use several sheets if necessary)

APPLICANT  
Chen et al.FILING DATE  
February 25, 2004

GROUP ART UNIT

**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)**

10		Edlund et al., "Cell-Specific Expression Of The Rat Insulin Gene: Evidence For Role Of Two Distinct 5' Flanking Elements", <i>Science</i> , Vol. 230, pp. 912-916 (1985).
10		Elbashir et al., "RNA Interference Is Mediated By 21-and 22-Nucleotide RNAs", <i>Genes &amp; Dev.</i> , Vol. 15, pp. 188-200 (2001).
10		Fire et al., "Potent And Specific Genetic Interference By Double-Stranded RNA In <i>Caenorhabditis Elegans</i> ", <i>Nature</i> , Vol. 391, pp. 806-811 (1998).
10		Fodor et al., "Multiplexed Biochemical Assays With Biological Chips", <i>Nature</i> , Vol. 364, pp. 555-556 (1993).
10		Goto et al., "Connections Of The Nucleus Incertus", <i>J. Comp. Neurol.</i> , Vol. 438, pp. 86-122 (2001).
10		Hammond et al., "An RNA-Directed Nuclease Mediates Post-Transcriptional Gene Silencing In <i>Drosophila</i> Cells", <i>Nature</i> , Vol. 404, pp. 293-296 (2000).
10		Hampson et al., "Probing The Ligand-Binding Domain Of The mGluR4 Subtype Of Metabotropic Glutamate Receptor", <i>J. Biol. Chem.</i> , Vol. 274(47), pp. 33488-33495 (1999).
10		Hosaka et al., "Arg-X-Lys/Arg-Arg Motif As A Signal For Precursor Cleavage Catalyzed By Furin Within The Constitutive Secretory Pathway", <i>J. Biol. Chem.</i> , Vol. 266, pp. 12127-12130 (1991).
10		Houghten et al., "The Use Of Synthetic Peptide Combinatorial Libraries For The Identification Of Bioactive Peptides", <i>Biotechniques</i> , Vol. 13(3), pp. 412-421 (1992).
10		Howard et al., "Orphan G-Protein-Coupled Receptors And Natural Ligand Discovery", <i>Trends In Pharmacological Sciences</i> , Vol. 22(3), pp. 132-140 (2001).
10		Hsu et al., "Activation Of Orphan Receptors By The Hormone Relaxin", <i>Science</i> , Vol. 295, pp. 671-674 (2002).
10		Karlin et al., "Methods For Assessing The Statistical Significance Of Molecular Sequence Features By Using General Scoring Schemes", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 87, pp. 2264-2268 (1990).
10		Karlin et al., "Applications And Statistics For Multiple High-Scoring Segments In Molecular Sequences", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 90, pp. 5873-5877 (1993).
10		Kaufman et al., "Translational Efficiency Of Polycistronic mRNAs And Their Utilization To Express Heterologous Genes In Mammalian Cells", <i>EMBO J.</i> , Vol. 6, pp. 187-195 (1987).
10		Kessel et al., "Murine Development Control Genes", <i>Science</i> , Vol. 249, pp. 374-379 (1990).
10		Kurjan et al., "Structure Of A Yeast Pheromone Gene (MF $\alpha$ ): A Putative $\alpha$ -Factor Precursor Contains Four Tandem Copies Of Mature $\alpha$ -Factor", <i>Cell</i> , Vol. 30, pp. 933-943 (1982).
10		Lam et al., "A New Type Of Synthetic Peptide Library For Identifying Ligand-Binding Activity", <i>Nature</i> , Vol. 354, pp. 82-84 (1991).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
PRD2045NP-USSERIAL NO.  
10/786,478**INFORMATION DISCLOSURE  
CITATION BY APPLICANT**

(Use several sheets if necessary)

APPLICANT  
Chen et al.FILING DATE  
February 25, 2004

GROUP ART UNIT

**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)**

10		Lam, "Application Of Combinatorial Library Methods In Cancer Research And Drug Discovery", <i>Anti-cancer Drug Des.</i> , Vol. 12, pp. 145-167 (1997).
10		Liu et al., "Comparison Of Human, Mouse, Rat, And Guinea Pig Histamine H <sub>4</sub> Receptors Reveals Substantial Pharmacological Species Variation", <i>J. Pharmacol. Exp Ther.</i> , Vol. 299(1), pp. 121-130 (2001).
10		Luckow et al., "High Level Expression Of Nonfused Foreign Genes With Autographa Californica Nuclear Polyhedrosis Virus Expression Vectors", <i>Virology</i> , Vol. 170, pp. 31-39 (1989).
10		Matsumoto et al., "The Novel G-Protein Coupled Receptor SALPR Shares Sequence Similarity With Somatostatin And Angiotensin Receptors", <i>Gene</i> , Vol. 248, pp. 183-189 (2000).
10		Montminy et al., "Regulation Of cAMP-Inducible Genes By CREB", <i>Trends Neurosci.</i> , Vol. 13(5), pp. 184-188 (1990).
10		Moss, "RNA Interference: It's A Small RNA World", <i>Curr. Biol.</i> , Vol. 11(19), pp. R772-R775 (2001).
10		Myers et al., "Optimal Alignments In Linear Space," <i>Comput. Appl. Biosci.</i> , Vol. 4(1), pp. 11-17 (1988).
10		O'Hara et al., "The Ligand-Binding Domain In Metabotropic Glutamate Receptors Is Related To Bacterial Periplasmic Binding Proteins", <i>Neuron</i> , Vol. 11, pp. 41-52 (1993).
10		Pinkert et al., "An Albumin Enhancer Located 10 kb Upstream Functions Along With Its Promoter To Direct Efficient, Liver-Specific Expression In Transgenic Mice", <i>Genes Dev.</i> , Vol. 1, pp. 268-277 (1987).
10		Queen et al., "Immunoglobulin Gene Transcription Is Activated By Downstream Sequence Elements", <i>Cell</i> , Vol. 33, pp. 741-748 (1983).
10		Rattan et al., "Protein Synthesis, Posttranslational Modifications, And Aging", <i>Ann. N.Y. Acad. Sci.</i> , Vol. 663, pp. 48-62 (1992).
10		Schultz et al., "Expression And Secretion In Yeast Of A 400-kDa Envelope Glycoprotein Derived From Epstein-Barr Virus", <i>Gene</i> , Vol. 54, pp. 113-123 (1987).
10		Scott et al., "Searching For Peptide Ligands With An Epitope Library," <i>Science</i> , Vol. 249, pp. 386-390 (1990).
10		Seed et al., "An LFA-3 cDNA Encodes A Phospholipid-linked Membrane Protein Homologous To Its Receptor CD2", <i>Nature</i> , Vol. 329, pp. 840-842 (1987).
10		Seidah et al., "Proprotein And Prohormone Convertases: A Family Of Subtilases Generating Diverse Bioactive Polypeptides", <i>Brain Res.</i> , Vol. 848, pp. 45-62 (1999).

EXAMINER

DATE CONSIDERED

11/14/2006

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICEATTY. DOCKET NO.  
PRD2045NP-USSERIAL NO.  
10/786,478**INFORMATION DISCLOSURE  
CITATION BY APPLICANT**

(Use several sheets if necessary)

APPLICANT  
Chen et al.FILING DATE  
February 25, 2004

GROUP ART UNIT

**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)**

<u>1D</u>		Seifter et al., "Analysis For Protein Modifications And Nonprotein Cofactors", <i>Meth. Enzymol.</i> , Vol. 182, pp. 626-646 (1990).
<u>1D</u>		Shimomura et al., "Identification Of Neuropeptide W As The Endogenous Ligand For Orphan G-Protein-Coupled Receptors GPR7 And GPR8", <i>J. Biol. Chem.</i> , Vol. 277(39), pp. 35826-35832 (2002).
<u>1D</u>		Smith et al., "Production Of Human Beta Interferon In Insect Cells Infected With A Baculovirus Expression Vector", <i>Mol. Cell Biol.</i> , Vol. 3(12), pp. 2156-2165 (1983).
<u>1D</u>		Smith et al., "Single-Step Purification Of Polypeptides Expressed In Escherichia Coli As Fusions With Glutathione S-Transferase", <i>Gene</i> , Vol. 67, pp. 31-40 (1988).
<u>1D</u>		Studier et al., <i>Methods In Enzymology</i> , Vol. 185, "Use Of T7 RNA Polymerase To Direct Expression Of Cloned Genes", Academic Press Inc., San Diego, California, pp. 60-89 (1990).
<u>1D</u>		Sudo et al., "H3 Relaxin Is A Specific Ligand For LGR7 And Activates The Receptor By Interacting With Both The Ectodomain And The Exoloop2", <i>J. Biol. Chem.</i> , Vol. 278(10), pp. 7855-7862 (2003).
<u>1D</u>		Thomas et al., "Kex2-like Endoproteases PC2 And PC3 Accurately Cleave A Model Prohormone In Mammalian Cells: Evidence For A Common Core Of Neuroendocrine Processing Enzymes", <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 88, pp. 5297-5301 (1991).
<u>1D</u>		Weintraub et al., "Anti-Sense RNA As A Molecular Tool For Genetic Analysis", <i>Trends In Genetics</i> , Vol. 1, pp. 22-25 (1985).
<u>1D</u>		Wilson et al., "Orphan G-Protein-Coupled Receptors: The Next Generation Of Drug Targets?", <i>British J. of Pharmacology</i> , Vol. 125, pp. 1387-1392 (1998).
<u>1D</u>		Winoto et al., "A Novel, Inducible And T Cell-Specific Enhancer Located At The 3' End Of The T Cell Receptor $\alpha$ Locus", <i>EMBO J.</i> , Vol. 8(3), pp. 729-733 (1989).
<u>1D</u>		Zamore et al., "RNAi: Double-Stranded RNA Directs The ATP-Dependent Cleavage Of mRNA At 21 To 23 Nucleotide Intervals", <i>Cell</i> , Vol. 101, pp. 25-33 (2000).
<u>1D</u>		Zuckermann et al., "Discovery Of Nanomolar Ligands For 7-Transmembrane G-Protein-Coupled Receptors From A Diverse N-(Substituted) Glycine Peptoid Library", <i>J. Med. Chem.</i> , Vol. 37, pp. 2678-2685 (1994).

EXAMINER

DATE CONSIDERED

11/15/2006

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.